









PVC with steel carrier broken / wire carrier







Design	Article reference	Colour	Clamping range [mm]	Sales unit [m]	Minimum order
	A1 009	black	0,8-1,5	100	100
	A1 010	black	1,0-2,0	100	100
	A1 011*	white	1,0-2,0	100	1500
	A1 012	grey	1,0-2,0	100	100
	A1 013	black	1,0-2,0	100	100
	A1 014	white	1,0-2,0	100	100
	A1 034	silver	1,0-2,0	100	100
	A1 023/2	black	1,0-2,5	100	100
	A1 023/4	black	2,0-4,0	100	100
	A2 051	black	1,0-3,0	100	100
	A3007	black	1,0-4,0	100	100
	A1 032* with wire carrier	black	1,0-2,5	4x50	4000

*Upon request – delivery time minimum 5-6 weeks, other profiles on stock, subject to being unsold.
 Other colours and materials upon request – Design modifications reserved

PVC with steel carrier broken









PVC with steel carrier broken / wire carrier



Design	Article reference	Colour	Clamping range [mm]	Sales unit [m]	Minimum order
	A1 037*	black	1,0-4,0	100	6000
	A1 024/2*	black	1,0-2,5	100	6000
	A1 024/4	black	2,0-4,0	100	100
	A1 024/6	black	4,0-6,0	100	100
	A1 018	black	1,0-4,0	100	100
	A1 030*	black	4,0-6,0	100	6000
	A3759* wire carrier	black	2,5	100	4000
	A3281* wire carrier	black	1,5-2,0	2x50	4000

*Upon request – delivery time minimum 5-6 weeks, other profiles on stock, subject to being unsold.
 Other colours and materials upon request – Design modifications reserved

PVC with steel carrier unbroken

Design	Article reference	Colour	Clamping range [mm]	Sales unit [m]	Minimum order
	A1 077 A2 813	black black	0,5-3,0 0,5-3,0	100 50	100 50
	A1 075*	black	1,0-2,5	100	2000
	A3087*	white	2,0	10x120	2400
	A2 804* A2 805*	grey ivory	1,0-2,5 1,0-2,5	50 50	2400 2400
	A3347*	grey-white	2,0	50	2400
	A3512*	grey	2,0	50	2400

PVC with wire carrier

Design	Article reference	Colour	Clamping range [mm]	Sales unit [m]	Minimum order
	A2 257* (TPE)	pearl-white	1,0-2,5	2x50	6000
	A2 814*	black	2,0-5,0	50	1500

* Upon request – delivery time minimum 5-6 weeks, other profiles on stock, subject to being unsold.
 Other colours and materials upon request – Design modifications reserved

EPDM with steel carrier / wire carrier

Design	Article reference	Colour	Clamping range [mm]	Sales unit [m]	Minimum order
	A3521* steel carrier centre bar	black	1,0-2,0	100	4000
	A2 613* steel carrier unbroken	black	1,0-3,0	2x100	4000
	A3444* wire carrier	black	5,0-6,0	100	6000
	A3550* steel carrier broken	black	5,0-8,0	100	6000

*Upon request – delivery time minimum 5-6 weeks, other profiles on stock, subject to being unsold.
 Other colours and materials upon request – Design modifications reserved